

Finger foods: Advice for patients, Royal Berkshire NHS Foundation True Royal Berkshire NHS Foundation

People sometimes struggle with foods that are eaten using cutlery or find picking at food or snacks easier. Below are some suggested foods that can be eaten as finger foods.

If you have been seen by the speech and language therapist and diagnosed with DYSPHAGIA (problems with swallowing), please do not use this leaflet.

# Finger food tips

Try to eat 3 meals each day plus 3 snacks and nourishing drinks between meals. If you cannot eat a full meal, eat a small amount every 2-3 hours. Try these finger foods:

- **Bite-size pieces** of moist foods are the best choice. Some dry or crumbly foods may cause problems as they may be too dry to swallow.
- Choose foods that are moist but not too messy
- **Foods** should be served at room temperature, so that people can eat at their own pace.
- Try to make finger foods look attractive and colourful on the plate
- **Drinking during meals may make you feel full** so try and wait until after you have finished eating to have a drink.

It is a good idea to ensure that wipes or hot flannels are available before and after meals so that people can wipe their hands.

## **Breakfast foods**

- Buttered toast or bread fingers with jam, marmalade, chocolate spread or nut butter
- Buttered crumpets
- Buttered potato cake
- Muffins
- Croissants
- Brioche rolls
- Eggy bread squares
- Egg and soldiers,
- Hard-boiled egg
- · Pieces of firm omelette
- Sausages
- · Pancake rolled with filling
- Soft cereal bars







# Try to have 3 meals, 3 snacks, nourishing drinks between meals and enrich your food.

# Main meals

• Small sandwiches, soft rolls, wrap, chapatti or pitta bread with fillings:

Cream cheese tuna/egg mayo peanut butter

Jam chocolate spread dahl

Sandwich fillers hummus meat pate Cheese beef burger sausage

Cold meat fish pate

- · Meatballs, mini sausages, mini pies, slices meatloaf,
- Chicken nuggets, chicken drumsticks, Quorn or plant based bites
- Fish fingers, fish cakes, crabsticks, fish goujons
- · Mini or sliced quiche, pizza
- Pieces omelette, frittata, boiled egg, scotch egg
- · Samosa, bhaji, spring roll
- · Cheese on toast, smashed avocado on toast
- Boiled new potatoes, chips, wedges, sweet potato chips
- Dim sum, sushi
- Cherry tomatoes, cucumber, carrot, pepper sticks, broccoli florets

## Between-meal snacks

- Cheese and biscuits or cheese on toast
- Waffles
- Buttered muffins, scones, pancakes
- Slice of cake fruit loaf, malt loaf, finger cake, ginger cake
- · Crackers with butter and soft cheese
- Cereal bar or flapjack
- Cream filled or chocolate covered biscuits
- Crisps or nuts
- Chocolate covered fruit
- Small treat size chocolate bar
- Cheese cubes
- Sandwiches or toast cut into squares / triangles
- Cocktail sausages, sausage rolls, hot dogs
- Small pork pie, scotch egg
- Melon chunks, orange segments, slices of apple / pineapple / mango

## **Dessert ideas**

- Individual fruit pies
- Ice cream
- Ginger cake
- Jam tart
- Custard tarts
- Slice of bread and butter pudding
- Croissant, pan au chocolate or Danish pastry
- malt loaf
- Doughnut
- · Biscuits or short bread
- Dried fruit plain or coated grapes, strawberries, slices banana



Your dietitian:	Contact number: